

Index

A

Access to Special Use Airspace	5-10
Advanced Surface Movement Guidance Control System (A-SMGCS)	1-4
Airport Signs, Lighting, and Markings	1-4
Aeronautical Radio, Inc. (ARINC) 424	6-4
Complex Route Records	6-5
Fix Records	6-4
Miscellaneous Records	6-5
Simple Route Records	6-4
Airborne Navigation Database Standardization	6-3
Aircraft Approach Categories	4-8
Aircraft Performance Considerations	4-7
Aircraft Speed and Altitude	2-49
Aircraft System Malfunction	A-2
Airplane Performance Operating Limitations	4-7
Airport Facility Directory (A/FD)	1-2
Airport Sketches and Diagrams	1-2
Airports With an ATC Tower	4-15
Airports Without A Control Tower	4-15
Air Route Traffic Control Center (ARTCC)	4-13
High or Lack of Minimum Vectoring Altitudes (MVAs)	4-14
Lack of Approach Control Terrain Advisories	4-15
Air Route Traffic Control Centers (ARTCC)	2-3
Airspeed	3-20
Airway and Route System	2-11
Airway/Route Depiction	2-13
IFR En Route High Altitude Chart	2-16
IFR En Route Low Altitude Chart	2-13
Victor Airway Navigation Procedures	2-18
Airways	2-2
Alternate Minimums for Commercial Operators	1-14
Altitude	3-16
Altitudes	4-19
Approach Chart Naming Conventions	4-9
Approach Clearance	3-22,4-54
Approach Control	4-13
Approaches	4-57
Approach Planning	4-2
Approach to a PinS	7-14

Approach to a Specific VFR Heliport	7-14
ARTCC Radio Frequency Outage	2-48
ATC Holding Instructions	2-51
ATC Requirements During an Inflight Emergency	A-5
Emergency Airport	A-6
Emergency Obstruction Video Map (EOVM)	A-6
Escort	A-6
Radar Assistance	A-5
Responsibility	A-6
Automated Terminal Information Service (ATIS)	4-5
Automated Weather Observing Programs	4-5
Automated Surface Observing System (ASOS)/Automated Weather Sensor System (AWSS)	4-5
Automated Weather Observing System (AWOS)	4-5
Automated Weather Systems	1-11
Automatic Terminal Information Service (ATIS)	1-12
Autopilot Modes	4-35
Aviation Digital Data Services (ADDS)	4-4

B

Benefits of NextGen	5-6
Broadcast Weather	4-4

C

CAT II and III Approaches	4-64
Ceilings	1-10,1-11
Center Weather Advisories (CWA)	4-6
Changeover Points	2-20
Charted Visual Flight Procedures (CVFP)	4-58
Charting/Database Inconsistencies	6-15
Issues Related To Magnetic Variation	6-16
Issues Related To Revision Cycle	6-17
Naming Conventions	6-15
Circling Only Procedures	4-11
Civilians Using Special Use Airspace	5-11
Climbing and Descending En Route	2-48
Closed Indefinitely Airports	6-15
Communications	4-11
Computer Navigation Performance	2-32
Contact Approaches	4-57

Controlled Flight Into Terrain (CFIT)	3-9
Converging ILS Approaches	4-66
Copter GPS Approaches to an Airport or Heliport	7-10
Copter Only Approaches to An Airport Or Heliport	7-10
Course Reversal	4-49
Courses	4-17
Area Navigation Courses	4-18
Traditional Courses	4-17
Cruise Clearance	2-43

D

Decision Altitude (DA)	4-19
Decision Height (DH)	4-19
Departure Procedures (DP)	1-14
Obstacle Departure Procedures (ODPs)	1-23
Area Navigation (RNAV) Departures	1-30
ODP Flight Planning Considerations	1-23
Pilot Responsibility for Use of RNAV Departures	1-36
SID Altitudes	1-36
SID Flight Planning Considerations	1-26
Standard Instrument Departures (SIDs)	1-23
Transition Routes	1-26
Departures From Airports Without an Operating Control Tower	1-43
Departures From Tower-Controlled Airports	1-43
Descending From the En Route Altitude	3-8
Descent Planning	3-3
Descent Planning for High Performance Aircraft	3-6
Descent Rates and Glidepaths for Nonprecision Approaches	4-37
Maximum Acceptable Descent Rates	4-37
Descents	4-36
Digital Automatic Terminal Information Service (D-ATIS)	1-12
Direct Route Flights	2-21
Diverse Vector Area	1-38
Diversion Procedures	2-52
DME Arcs	4-43
DP Responsibilities	1-42

E

Emergency Procedures	A-1
Enhanced Flight Vision Systems (EFVS)	4-20
En Route Holding Procedures	2-50
En Route Navigation	2-2
En Route Obstacle Clearance Areas	2-18
Primary and Secondary En Route Obstacle Clearance Areas	2-19
En Route Safety Considerations	2-52
Equipment Requirements	4-17
Example Approach Briefing	4-41

F

Feeder Routes	4-43
Final Approach Fix (FAF) Altitude	4-19
Final Approach Segment	4-53
Flight Management System (FMS)	4-35
Flights in a Radar Environment	2-46
Fuel State Awareness	2-52

G

GPS Overlay of Nonprecision Approach	4-63
GPS Stand-Alone/RNAV (GPS) Approach	4-63
Ground-Based Augmentation System (GBAS)	4-26
Ground Communication Outlet	1-43

H

Hazardous Inflight Weather Advisory Service (HIWAS)	4-4
Head-Up Displays (HUD)	5-7
Helicopter Approaches to VFR Heliports	7-14
Helicopter Flight Manual Limitations	7-3
Helicopter IFR Alternates	7-8
Part 91 Operators	7-8
Part 135 Operators	7-9
Helicopter IFR Takeoff Minimums	7-8
Helicopter Instrument Approaches	
Standard Instrument Approach Procedures to an Airport	7-9
Helicopter Instrument Flight Rule (IFR) Certification	7-2
Helicopters flying standard instrument approach procedures (SIAP)	7-9
Helicopter VFR Minimums	7-8
High Altitude Area Navigation Routing	2-7
High Performance Holding	2-52
Holding Patterns	3-21

I

IFR Alternate Requirements	1-12
IFR Cruising Altitude or Flight Level	2-42
IFR En Route Altitudes	2-35
IFR Heliports	7-17
ILS Approaches	4-64
ILS Approach Categories	4-64
Parallel (Dependent) ILS Approaches	4-65
Simultaneous Close Parallel ILS Precision Runway Monitor (PRM) Approaches	4-65
Simultaneous Parallel ILS Approaches	4-65
Inadvertent IMC	7-16
Inadvertent Instrument Meteorological Condition (IIMC)	A-4
Inadvertent Thunderstorm Encounter	A-1
Initial Approach Segment	4-50

Instrument Approach Charts	4-9
Instrument Approaches	4-20
Instrument Approach Procedure (IAP) Briefing	4-35
Instrument Approach Procedure Segments	4-43
Intermediate Approach Segment	4-53
Interpreting the STAR	3-12

L

Lateral navigation/vertical navigation (LNAV/VNAV) equipment	3-6
LF/MF Airways	2-18
Loss of Situational Awareness (SA)	A-3
Low, Close-In Obstacles	1-17
Lowest Usable Flight Level	2-43

M

Maximum Authorized Altitude (MAA)	2-35
Maximum Holding Speed	2-51
Microwave Landing System (MLS)	4-69
Minimum Crossing Altitude (MCA)	2-39
Minimum En Route Altitude (MEA)	2-35
Minimum Equipment List (MEL)	7-5
Minimum IFR Altitude (MIA)	2-40
Minimum Obstruction Clearance Altitude (MOCA)	2-36
Minimum Reception Altitude (MRA)	2-35
Minimum safe altitudes (MSAs)	4-19
Minimum Turning Altitude (MTA)	2-38
Minimum Vectoring Altitudes (MVA)	2-41
Missed Approach	4-39
Missed Approach Segment	4-54
Monitoring of Navigation Facilities	2-29

N

NAVAID Accuracy Check	2-29
Airborne VOR Check	2-31
Dual VOR Check	2-31
NDB Accuracy Check	2-31
RNAV Accuracy Check	2-31
VOR Accuracy	2-29
VOR Checkpoint Signs	2-30
VOT	2-29
Navigational Gaps	2-29
Navigation and Communication Radios	4-35
Navigation in the Arrival Environment	3-2
NDB Approach	4-69
Next Generation Air Transportation System (NextGen)	
Automatic dependent surveillance-broadcast (ADS-B)	5-2
NAS voice switch (NVS)	5-3

Next generation network enabled weather (NNEW)	5-3
System wide information management (SWIM)	5-2
NextGen Existing Improvements	5-3
Noise Abatement Procedures	1-42
Nonradar Environment	4-56
Non-Radar Position Reports	2-45

O

One-Engine-Inoperative (OEI) Takeoff Obstacle Clearance Requirements	1-20
Operational Limitations of Airborne Navigation Databases	6-14
Operations in Other Countries	2-44
Operations Specifications (OpsSpecs)	1-8

P

Path and Terminator Legs	6-5
Path and Terminator Limitations	6-9
Pilot Proficiency	7-5
Position Report Items	2-46
Additional Reports	2-46
Precision Approach Radar (PAR)	4-75
Preferred IFR Routes	2-7
Preparing for the Arrival	3-16
Present Position Direct	3-24
Primary NAVAID	4-17
Procedural Notes	1-42
Published RNAV Routes	2-23
Composition of Designators	2-23
Use of Designators in Communications	2-24

R

Radar Approaches	4-72
Radar Departures	1-37
Random RNAV Routes	2-25
Reduced Vertical Separation Minimums (RVSM)	2-43
Required navigation performance (RNP)	
RNP Levels	2-34
Application of Standard RNP Levels	2-35
Standard RNP Levels	2-35
Required Navigation Performance (RNP)	4-30
Reviewing the Approach	3-16
RNAV Approach Authorization	4-30
Baro-VNAV	4-31
Hot and Cold Temperature Limitations	4-31
RNAV Approaches	4-58
RNAV Approach Types	4-63

RNAV (GPS) Approach Using WAAS	4-63
RNAV STAR transitions	3-12
Role of the Avionics Manufacturer.....	6-13
Role of the Database Provider	6-13
Runway Hotspots	1-6
Runway Incursions	1-5

S

Safe Separation Standards	2-4
Inflight Requirements and Instructions.....	2-6
Sectors	2-5
See and Avoid Techniques	1-44
Simultaneous Offset Instrument Approaches (SOIAs).....	4-66
Special Airport Qualification	3-26
Stabilization and Automatic Flight Control System (AFCS)	7-2
Aerodynamic surfaces.....	7-2
Attitude Retention Systems (ATT).....	7-3
Stabilized Approach	4-36
Standardized Taxi Routes	1-6
Taxi and Movement Operations Change.....	1-6
Standard Terminal Arrival Routes (STARs)	-10
STAR Procedures	3-16
STAR Transitions	3-12
Storage Limitations	6-15
Straight-In Procedures.....	4-9
Substitute Airway or Route Structures	2-9
Substitute Airway En Route Flight Procedures.....	2-9
Surface Movement Guidance Control System (SMGCS).....	1-3
Geographic position markings	1-3
Runway guard lights	1-3
Stop bars lights	1-3
Taxiway centerline lead-on light	1-3
Surface Movement Safety	1-2
Synthetic and Enhanced Vision Systems	5-8
Developing Combined Technology	5-9
Enhanced Flight Vision System (EFVS).....	5-9
Synthetic Vision System (SVS).....	5-8

T

Takeoff Minimums	1-8
Takeoff Minimums for Commercial Operators.....	1-8
Telephone Information Briefing Service (TIBS).....	4-4
Terminal Arrival Areas (TAAs)	4-58
Terminal Routes	4-43
Tower En Route Control (TEC).....	2-10
Tower En Route Control Route Descriptions.....	2-10
Transition to a Visual Approach.....	4-37

U

Users Role	6-14
------------------	------

V

Vectors To Final Approach Course.....	4-54
Vertical Navigation.....	4-23
Vertical Navigation (VNAV) Planning	3-4
VHF Airways.....	2-18
Visibility.....	1-10
Adequate Visual Reference	1-11
Prevailing Visibility.....	1-10
Runway Visibility Value (RVV)	1-10
Runway Visual Range (RVR)	1-10
Mid-RVR.....	1-11
Rollout RVR	1-11
Touchdown RVR.....	1-11
Tower Visibility	1-10
Visual Approaches.....	4-57
Visual Climb Over Airport (VCOA)	1-42
Visual flight rules (VFR) Departures	1-44
VOR Approach	4-69

W

Waypoints	2-32
Floating Waypoints.....	2-32
User-Defined Waypoints.....	2-32
Weather and the Departure Environment	1-8
Weather Considerations	4-2
Weather Regulatory Requirements	4-6
Weather Requirements and Part 91 Operators.....	4-6
Weather Requirements and Part 121 Operators.....	4-7
Weather Requirements and Part 135 Operators.....	4-7
Weather Sources.....	4-2
Wide Area Augmentation System (WAAS) Advantages Of WAAS Enabled LPV Approaches	4-25
Benefits Of WAAS In The Airport Environment.....	4-25